

STRUCTURAL GEOLOGY OF THE FORT MILLER, SCHUYLERVILLE AND
PORTIONS OF THE SCHAGHTICOKE 7½' QUADRANGLES,
EASTERN NEW YORK, AND ITS IMPLICATIONS
IN TACONIC GEOLOGY
and
EXPERIMENTAL AND THEORETICAL STUDIES OF SOLUTION TRANSFER
IN DEFORMING HETEROGENEOUS SYSTEMS

by
William P. Bosworth

Abstract of a Dissertation
Submitted to the State University of New York at Albany
in Partial Fulfillment of
the Requirement for the Degree of
Doctor of Philosophy

College of Science and Mathematics
Department of Geological Sciences

1980

ABSTRACT

Stratigraphies previously proposed for the Taconic sequence of southern Washington County, eastern New York, have incorrectly defined and positioned lower Cambrian black slate units. The proper sequence of Cambrian (?) through Cambrian lithologies is (terminology from Jacobi, 1977): Bomoseen green wacke, Truthville green slate, Browns Pond black slate, Mettawee purple and green slate, and West Castleton and Hatch Hill black slates. This and the entire Taconic sequence is conformable within the western Giddings Brook slice. The detailed lithostratigraphy reported by Jacobi (1977) and Rowley (1980) in northern Washington County can be followed at least some 45 kilometers to the south (Fort Miller, Schuylerville, Cossayuna and Cambridge 7½' quadrangles) in the westernmost portions of the allochthon. Within some units, variations between "sub-domains" can be recognized. Lithologic characteristics suggest that each sub-domain records deposition at slightly different positions (distal/proximal) on the Cambro-Ordovician North American continental rise. These stratigraphic sub-domains correspond with areas of internally coherent structure (fold and cleavage orientation, sense of structural facing). Together these define an assemblage of imbricate thrust sheets within the western Giddings Brook slice.

The basal Taconic thrust and thrusts internal to the allochthon cut obliquely across fold axes, hinge lines and cleavage in the allochthon and the underlying Hudson flysch. Allochthon emplacement clearly post-dates the earliest regional

slaty cleavage development and two generations of large-scale tectonic folding. Tectonic slivers and fault rocks (Bald Mountain Terrane) present along the basal Taconic thrust initially formed as the allochthon ramped over the Cambro-Ordovician North American continental shelf. The fold-thrust mode of deformation continues in the underlying flysch sequence of the Hudson River lowlands. The progressive development of structures observed within these units is analogous to the formation of structures within the leading edge of a subduction-accretion assemblage.

* * *

Halite single crystals loaded dry and then placed in brine are preferentially dissolved at surfaces adjacent to regions of high plastic strain. Riecke's Principle satisfactorily accounts for the observed distribution of dissolution rates in these and the circular hole experiments performed by Sprunt and Nur (1977), but plastic strain probably dominates over elastic strain in the free energy calculations. Faster dissolution of crystalline material with high defect concentrations is the mechanism suggested to be responsible for this phenomenon.

Although pressure gradients may dominate over strain energy terms in chemical potential calculations along grain-to-grain contacts, the role of permanent strain should be considered in the total physicochemical process of diffusive mass transfer (pressure solution). Of particular importance is knowledge of the rate limiting step in the transfer sequence,

which may occur at grain boundary - pore fluid junctions. There the kinetics of dissolution/precipitation may play a significant role.

The thermodynamic and kinetic criteria for equilibrium between states are not truly equivalent. This becomes an important consideration when forward and reverse reactions of a given change of state occur by different reaction pathways, as may be the case for dissolution/precipitation at a strained solid-fluid interface. The possibility then arises that solution transfer mechanisms exist which are driven by kinetic rate differentials rather than the energy change between solid and solution state. A complete theoretical analysis of any model designed to represent solid-fluid interactions during deformation will require a knowledge of state energy levels, reaction mechanisms and their associated activation energies, and the various parameters of diffusion within each state and along phase interfaces. Not only must the effects of deformation through fluid-assisted diffusive mass transfer be considered, but also the role of fluid phases in the plasticity of crystalline material. These two general processes may be easily confused in both experimental analogues of geologic systems and the naturally occurring rocks themselves.

STRUCTURAL GEOLOGY OF THE FORT MILLER, SCHUYLERVILLE AND
PORTIONS OF THE SCHAGHTICOKE 7½' QUADRANGLES,
EASTERN NEW YORK, AND ITS IMPLICATIONS
IN TACONIC GEOLOGY
and
EXPERIMENTAL AND THEORETICAL STUDIES OF SOLUTION TRANSFER
IN DEFORMING HETEROGENEOUS SYSTEMS

by
William P. Bosworth

A Dissertation
Submitted to the State University of New York at Albany
in Partial Fulfillment of
the Requirement for the Degree of
Doctor of Philosophy

College of Science and Mathematics
Department of Geological Sciences

1980

In remembrance of Paul and Josephine Malloy.

CONTENTS

	Page
ABSTRACT.....	iii
LIST OF FIGURES.....	ix
LIST OF TABLES.....	xi
LIST OF PLATES.....	xii
ACKNOWLEDGEMENTS.....	xiii
PART 1 STRUCTURAL GEOLOGY OF THE FORT MILLER, SCHUYLER- VILLE AND PORTIONS OF THE SCHAGHTICOKE 7½' QUADRANGLES, EASTERN NEW YORK, AND ITS IMPLICA- TIONS IN TACONIC GEOLOGY.....	1
SUMMARY.....	2
1. INTRODUCTION.....	4
2. GEOLOGIC SETTING AND PREVIOUS INVESTIGATIONS.....	10
3. STRATIGRAPHY.....	31
3.1 Bomoseen Grit.....	32
3.2 Truthville Slate.....	39
3.3 Cambrian Lithofacies.....	40
3.4 Poultney Slate.....	45
3.5 Mt. Merino Chert.....	46
3.6 Austin Glen Graywacke.....	48
3.7 Hudson River Group.....	49
3.8 Bald Mountain Terrane Lithologies.....	51
4. BALD MOUNTAIN THRUST SHEET AND THE BALD MOUNTAIN TERRANE.....	54
4.1 Geology of Gavettes, Bald and Schuyler Mountains.....	54
4.2 Field Relationships of the Bald Mountain Fault Zone.....	64
5. WILLARD MOUNTAIN AND BEAGLE MOUNTAIN THRUST SHEETS...	78
5.1 Inverted Structure of Willard and Whelden Mountains.....	78
5.2 Beagle Mountain Thrust Sheet and Related Thrust Slivers.....	89
5.3 Geology South of Willard Mountain.....	90

	Page
6. GEOLOGY OF THE HUDSON RIVER SHALES.....	93
6.1 Distribution of Lithofacies.....	94
6.2 Field Structural Relations.....	106
6.3 Cleavage Morphologies and Their Kinematic Significance.....	121
7. STRUCTURAL SYNTHESIS AND REGIONAL IMPLICATIONS.....	130
8. CONCLUSIONS.....	138
LITERATURE CITED.....	141
PART 2 EXPERIMENTAL AND THEORETICAL STUDIES OF SOLUTION TRANSFER IN DEFORMING HETEROGENEOUS SYSTEMS.....	156
SUMMARY.....	157
1. INTRODUCTION.....	159
2. EXPERIMENTAL DEFORMATION OF HALITE.....	164
2.1 Role of Elastic and Plastic Strain in Con- trolling Dissolution of Halite at Free Crystal Faces.....	165
2.2 Influence of an Aqueous Fluid Phase on the Plasticity of Halite Single Crystals.....	182
3. THEORETICAL CONCEPTS OF DEFORMING HETEROGENEOUS SYSTEMS.....	193
3.1 Comparison of the Free Energy Contributions from Plastic and Elastic Strain in Deformed Halite.....	193
3.2 Application of Activated Complex Theory to the Process of Solution Transfer.....	203
4. DISCUSSION.....	221
5. CONCLUSIONS.....	232
LITERATURE CITED.....	234

LIST OF FIGURES

Page

PART 1

Figure 2.1	Location of the Fort Miller, Schuyler-ville and Schaghticoke 7½' Quadrangles.....	12
Figure 2.2	Natural features and selected localities in the immediate vicinity of the field area.....	14
Figure 2.3	Published cross-sections through Bald Mountain, New York.....	19
Figure 2.4	Recent bedrock mapping in the northern and central Taconics.....	26
Figure 4.1	Structural measurements from the Bald Mountain thrust sheet.....	56
Figure 4.2	Alternative structural interpretations of Gavettes and Bald Mountains.....	60
Figure 4.3	South quarry face at Bald Mountain.....	68
Figure 4.4	Foliated carbonate at Bald Mountain quarry..	73
Figure 4.5	Bald Mountain Terrane micro-breccia.....	75
Figure 5.1	Structural measurements from the Willard Mountain thrust sheet.....	82
Figure 5.2	Post-slaty cleavage mesoscopic fold on Whelden Mountain.....	85,87
Figure 6.1	Taconic melange: broken formation.....	96
Figure 6.2	Taconic melange: isolated fold.....	98
Figure 6.3	Generalized lithofacies map of the Hudson River Lowlands.....	104
Figure 6.4	Structural measurements from the Hudson River Lowlands.....	108
Figure 6.5	Folded extensional calcite veins in the Hudson flysch.....	111
Figure 6.6	Clastic dike-slaty cleavage relationships in the Hudson River Lowlands.....	113
Figure 6.7	Low-angle faults and slickenside striations in the Hudson River Lowlands.....	116

	Page
Figure 6.8 Hudson flysch fault breccia.....	118
Figure 6.9 Phacoidally cleaved Hudson River shale...	125
Figure 7.1 Cross-section illustrating deformational and depositional processes inferred to have occurred in the Hudson flysch during the Medial Ordovician.....	134

Part 2

Figure 2.1 State of stress around an axially loaded cylindrical hole.....	167
Figure 2.2 Plastic deformation of samples contain- ing cylindrical holes.....	171
Figure 2.3 Plastic contribution to hole shape change.....	173
Figure 2.4 Stress-relaxation tests.....	189
Figure 2.5 Strain-to-failure tests.....	191
Figure 3.1 Distribution of plastic strains around the deformed holes.....	201
Figure 3.2 Schematic representation of activated- complex theory.....	205
Figure 3.3 Change of state in which forward and reverse reactions occur by dissimilar mechanisms.....	208
Figure 3.4 Forms of dynamic systems equilibria.....	211
Figure 3.5 Activated-state model of dissolution/ precipitation for deformed solid.....	215
Figure 3.6 Application of activated-state model to dissolution at a solid defect.....	218

LIST OF TABLES

PART 1	Page
Table 3.1 Stratigraphic thicknesses of Taconic units in the Schuylerville and Fort Miller 7½' Quadrangles.....	35
Table 3.2 Compilation of stratigraphic thicknesses from several field areas in Washington County, eastern New York.....	37
PART 2	
Table 2.1 Halite single crystal cylindrical hole experiments.....	178
Table 2.2 Creep tests on solid halite crystals.....	184

LIST OF PLATES

PART 1	Page
Plate 1. Geology of Gavettes and Bald Mountains.....	*
Plate 2. Geology of Schuyler and Willard Mountains.....	*
Plate 3. Geology of the Hudson River Lowlands.....	*
Plate 4. Geologic cross-sections through the field area.....	*

PART 2

Plate 2.1 Halite single crystal cylindrical hole experiments.....	176
--	-----

* in pocket

ACKNOWLEDGEMENTS

The author has had the great pleasure and privilege to conduct his doctoral studies under the guidance of Winthrop D. Means. Dr. Means acted not only as teacher, but as colleague and friend as well. His patient instruction in the laboratory and thoughtful discussion in the field contributed immeasurably to the completion of this dissertation. The author will always be grateful for the time, advice and consideration given to him by Dr. Means.

The author's goal in the general form and direction of this thesis has been to achieve a balance between traditional, field-oriented structural geology and somewhat more analytical experiments and theoretical studies. Upon the advice of Dr. Means, it was decided that field work should be conducted in an area believed to contain high strain zones. The field area chosen was suggested to the author by Steven Chisick of Rensselaer Polytechnic Institute. Over the ensuing field seasons, Steve could always be counted on to provide stimulating and occasionally lively discussions over the interpretation of Taconic structure, stratigraphy and tectonics. The author was fortunate as well to be accompanied in the field on various occasions by W. S. F. Kidd, D. B. Rowley, F. W. Vollmer and Henry X. Willems. A. H. Bosworth served as an able field assistant during part of the 1979 field season.

Special mention must be made of the author's canine

partners, Whimpy, Pete and Fred, and of the friendly residents of Washington and Saratoga Counties, who kindly assisted in tracking them down at the end of each day.

The experimental and theoretical studies reported in Part 2 are an outcome of classroom and informal discussions with Dr. Means, who with William Gregg and Bruce Hobbs provided numerous suggestions and unending encouragement throughout the completion of this work. Discussions with David Durney and Raymond Fletcher contributed much to the improvement of the final text. The laboratory work would not have been possible without the continued assistance and advice of Al Hajeck and Andy Landor. The friendship of these two gentlemen will always be remembered.

Donna Kelly and Diana Paton typed journal manuscripts arising from this doctoral study, kept the author to establishment dead-lines, and in general steered him on a straight course.

Kevin Burke fearlessly served as a buffer between motorpool personnel and the author's unfortunate "in-the-field" driving record.

Pauline Havens prepared the several drafts of this thesis and produced the final edition in superb form. Her perseverance and hard work were undaunted throughout the endeavor. Kathleen Bosworth assisted in illustrating the thesis, counselled the author during difficult times and gave him her untiring support.

The careful attention given to the final form of this thesis by the Examining Committee - Win Means, Kevin Burke, George Putman, and Bill Kidd - was much appreciated. The encouragement and friendship of all the faculty, staff and fellow students of the Department of Geological Sciences, and of the members of Paul Saimond's office, which oversees NSF Graduate Programs, has made the author's tenure at the State University a truly enjoyable one.

Funding through a National Science Foundation Graduate Fellowship and a Penrose Grant from the Geological Society of America are gratefully acknowledged. Field transportation and funds for travel to professional meetings were in part provided by the State University.